



[www.csccaster.com](http://www.csccaster.com)

# Central States Casters Cares About Your Safety

## ERGONOMICS





# Swivel EAZ Wheels



Swivel-EAZ® wheels are designed to reduce turning and rolling resistance on swivel, rigid, and fixed axle systems.

The Swivel-EAZ® wheels also carry twice the load of Standard size wheels with similar tread hardness. With 10 years in service the Swivel-EAZ® wheels alone has shown a minimum 35-50% reduction in push pull.



## Bishamon X-Series Scissors Lift Table

*Increases productivity & reduces worker strain by positioning materials at optimum operating heights for worker efficiency.*

- Compact design
- Manual, electric and air operated models available
- Constructed with heavy-gauge steel and sturdy welds throughout
- Steel work platforms
- Entrapped rollers for increased stability
- Superior hydraulic systems proven on a range of Bishamon lift products
- Hand control on electric models
- Removable & storable operator's foot pedal and lowering control on manual models
- Wide range of table sizes
- Quality baked enamel finish



## Popular Swivel-EAZ® Configurations

Part Number	DIA.	Width	Axel Size	Hub Length	Load Cap. 70A Black	Load Cap. 80A Red	Load Cap. 95A Blue	Load Cap. 60D Grey	Load Cap. 75D Black
<a href="#">SWE-320-FT</a> <a href="#">SWE-320-CRN</a>	3"	2"	1/2"	2 1/2"	<u>N/A</u> <u>N/A</u>	<u>560</u> <u>320</u>	<u>720</u> <u>400</u>	<u>800</u> <u>520</u>	<u>900</u> <u>600</u>
<a href="#">SWE-420-FT</a> <a href="#">SWE-420-CRN</a>	4"	2"	1/2"	2 1/2"	<u>500</u> <u>300</u>	<u>700</u> <u>400</u>	<u>900</u> <u>500</u>	<u>1000</u> <u>650</u>	<u>1100</u> <u>700</u>
<a href="#">SWE-520-FT</a> <a href="#">SWE-520-CRN</a>	5"	2"	1/2"	2 1/2"	<u>700</u> <u>450</u>	<u>1050</u> <u>650</u>	<u>1400</u> <u>800</u>	<u>1550</u> <u>975</u>	<u>1650</u> <u>1050</u>
<a href="#">HDSWE-530-FT</a> <a href="#">HDSWE-530-CRN</a>	5"	3"	3/4"	3 1/2"	<u>950</u> <u>600</u>	<u>1420</u> <u>880</u>	<u>2100</u> <u>1200</u>	<u>2325</u> <u>1460</u>	<u>2500</u> <u>1600</u>
<a href="#">SWE-620-FT</a> <a href="#">SWE-620-CRN</a>	6"	2"	1/2"	2 1/2"	<u>900</u> <u>600</u>	<u>1400</u> <u>900</u>	<u>1900</u> <u>1100</u>	<u>2200</u> <u>1300</u>	<u>2400</u> <u>1450</u>
<a href="#">SWE-625-FT</a> <a href="#">SWE-625-CRN</a>	6"	2 1/2"	3/4"	3"	<u>900</u> <u>600</u>	<u>1400</u> <u>900</u>	<u>1900</u> <u>1100</u>	<u>2200</u> <u>1300</u>	<u>2400</u> <u>1450</u>
<a href="#">HDSWE-630-FT</a> <a href="#">HDSWE-630-CRN</a>	6"	3"	3/4"	3 1/2"	<u>1220</u> <u>800</u>	<u>1890</u> <u>1200</u>	<u>2850</u> <u>1650</u>	<u>3300</u> <u>1950</u>	<u>3500</u> <u>2100</u>
<a href="#">SWE-820-FT</a> <a href="#">SWE-820-CRN</a>	8"	2"	1/2"	2 1/2"	<u>1400</u> <u>1100</u>	<u>2300</u> <u>1800</u>	<u>3000</u> <u>2400</u>	<u>3500</u> <u>2700</u>	<u>3700</u> <u>2850</u>
<a href="#">SWE-825-FT</a> <a href="#">SWE-825-CRN</a>	8"	2 1/2"	3/4"	3"	<u>1400</u> <u>1100</u>	<u>2300</u> <u>1800</u>	<u>3000</u> <u>2400</u>	<u>3500</u> <u>2700</u>	<u>3700</u> <u>2850</u>
<a href="#">HDSWE-830-FT</a> <a href="#">HDSWE-830-CRN</a>	8"	3"	3/4"	3 1/2"	<u>1890</u> <u>1485</u>	<u>3100</u> <u>2450</u>	<u>4000</u> <u>3250</u>	<u>4725</u> <u>3645</u>	<u>4960</u> <u>3850</u>
<a href="#">SWE-1030-FT</a> <a href="#">SWE-1030-CRN</a>	10"	3"	3/4-1 1/4"	3 1/2"	<u>2200</u> <u>1800</u>	<u>3700</u> <u>2900</u>	<u>4800</u> <u>3800</u>	<u>5600</u> <u>4300</u>	<u>5900</u> <u>4550</u>

FT - FLAT TREAD      CRN - CROWN TREAD

Load capacities listed above are for speeds of 1-3 mph. These are maximum load capacities. Using 20-30% safety factors will improve service life.

Contact Central States Casters for additional sizes if not on the chart.

## Bishamon EZ Loader

*State Of The Art Automatic Pallet Positioner Now Adjustable Without Changing Air Pressure!*

Self leveling design automatically keeps the top of the load at a convenient working height to help eliminate bending and improve productivity

Integral rotator ring helps eliminate reaching and stretching

Captive air operation eliminates cumbersome mechanical springs and gives more controlled (dampened) movement of the platform

A three position EZ Adjust knob allows adjustment of the collapsed capacity without changing air pressure

Secured ball bearing center pivot of the 43" diameter rotator ring provides smooth, even rotation

Rollers are entrapped in the base frame and platform for added stability

EZ Loaders arrive at your facility fully assembled - just add air!



*The patented Swivel-EAZ® Pro caster opens up creative design options that have never existed in the Material Handling Industry before.*



*The Swivel-EAZ® Pro caster has a patented 3 axis system for ease of motion, and untouchable push or pull results.*

*This ergonomically superior and maintenance free caster minimizes floor contact pressure with the ability to distribute weight over more than 4 casters on a single unit.*

*Unlimited design options available for load distribution, and independent motion in all directions.*

Made in the USA



[www.csccaster.com](http://www.csccaster.com)