

STANDARD-INDUSTRIAL



Bulk Racks with Welded Upright Frames

- *Beam-hook connection*
- *Shelf capacity: up to 4000 lbs.; capacities based on evenly distributed loads*
- *Shelf level quantity: 3*
- *14-gauge steel upright frame; 14-gauge steel beam*
- *Welded upright frame*


1 7/8"x2", all-welded upright frame is punched on 2" centers. Z-shape beam design increases capacity. Shelf levels adjust in 2" increments. Three decking choices: economical 3/8" thick high-density particleboard; epoxy-coated wire mesh; or ribbed 20-gauge steel with 1 7/8"W recesses that allow you to easily grab inventory. Starters can be used individually or combined with add-ons to complete a row of shelving. Beams and upright frames will not interchange with EDSAL bulk rack manufactured before 1999. Gray powder coat finish. Made in USA. *IN STOCK.*

Beam-hook connection



72x36x72" starter with steel deck shown.

Overall WxDxH	Shelf Cap. Lbs.	PARTICLEBOARD DECKING		
		STARTER Stock No.	ADD-ON Stock No.	EXTRA LEVELS Stock No.
60x24x72"	4000	5756603-T	5788003-T	5769403-T
72x24x72"	3500	5756903-T	5788103-T	5769703-T
96x24x72"	2800	5757003-T	5788203-T	5776203-T
60x36x72"	4000	5757103-T	5788903-T	5769503-T
72x36x72"	3500	5757203-T	5789003-T	5769803-T
96x36x72"	2800	5757303-T	5789103-T	5776403-T
60x24x96"	4000	5757803-T	5788303-T	5769403-T
72x24x96"	3500	5757903-T	5788403-T	5769703-T
96x24x96"	2800	5763403-T	5788503-T	5776203-T
60x36x96"	4000	5763503-T	5789203-T	5769503-T
72x36x96"	3500	5763603-T	5789303-T	5769803-T
96x36x96"	2800	5763703-T	5789403-T	5776403-T
60x48x120"	4000	5765803-T	5793603-T	5769603-T
72x48x120"	3500	5765903-T	5793803-T	5769903-T
96x48x120"	2800	5766203-T	5793903-T	5776503-T



Starters include: (2) upright frames and (3) shelf levels

Add-ons include: (1) upright frame and (3) shelf levels

Shelf Supports per Shelf Level

60"W.....	1
72"W.....	2
96"W.....	3

All required shelf supports are included.

Overall WxDxH	Shelf Cap. Lbs.	WIRE DECKING			STEEL DECKING		
		STARTER Stock No.	ADD-ON Stock No.	EXTRA LEVELS Stock No.	STARTER Stock No.	ADD-ON Stock No.	EXTRA LEVELS Stock No.
60x24x72"	4000	—	—	—	5756602-T	5788002-T	5769402-T
72x24x72"	3500	6029400-T	6031300-T	6032300-T	5756902-T	5788102-T	5769702-T
96x24x72"	2800	6029500-T	6031400-T	6032400-T	5757002-T	5788202-T	5776202-T
60x36x72"	4000	—	—	—	5757102-T	5788902-T	5769502-T
72x36x72"	3500	6029600-T	6031500-T	6032500-T	5757202-T	5789002-T	5769802-T
96x36x72"	2800	6029700-T	6031600-T	6032600-T	5757302-T	5789102-T	5776402-T
60x24x96"	4000	—	—	—	5757802-T	5788302-T	5769402-T
72x24x96"	3500	6029800-T	6031700-T	6032300-T	5757902-T	5788402-T	5769702-T
96x24x96"	2800	6029900-T	6031800-T	6032400-T	5763402-T	5788502-T	5776202-T
60x36x96"	4000	—	—	—	5763502-T	5789202-T	5769502-T
72x36x96"	3500	6030000-T	6031900-T	6032500-T	5763602-T	5789302-T	5769802-T
96x36x96"	2800	6030100-T	6032000-T	6032600-T	5763702-T	5789402-T	5776402-T
60x48x120"	4000	—	—	—	5765802-T	5793602-T	5769602-T
72x48x120"	3500	6031100-T	6032100-T	6032700-T	5765902-T	5793802-T	5769902-T
96x48x120"	2800	6031200-T	6032200-T	6032800-T	5766202-T	5793902-T	5776502-T



Ships same day for 1-3 day delivery

Ships 1-5 days




Beam-hook connection.

72x36x72" Starter and add-on with particleboard decking shown.

PENCO Wide-Span Bulk Shelving

- Beam-hook connection
- Shelf capacity: up to 2400 lbs; capacities based on evenly distributed loads
- Shelf level quantity: 3
- 14-gauge steel upright frame; 14-gauge steel beam
- All-welded frames

For extra-wide or bulky loads. Assembles easily with no additional bracing or hardware. 3"H steel channel shelf frames adjust on 2" centers along punched upright frames. Order a starter unit for each row of shelving needed, then add as many add-on units as necessary to complete the rows. When designing a row, allow for the 1 3/4" width of each upright post and 1/2" for beam ends. Safety load factor is 1.92 for upright frames and 1.65 for shelf frames. Two decking choices: 3/8" thick, interior-grade particleboard or 1 3/4" H, 18-ga. steel with channel-formed front and rear detail. Color: green. Made in USA.



Overall WxDxH	PARTICLEBOARD DECKING				STEEL DECKING			
	Shelf Cap. Lbs.	Starter Stock No.	Add-On Stock No.	Extra Levels Stock No.	Shelf Cap. Lbs.	Starter Stock No.	Add-On Stock No.	Extra Levels Stock No.
60x24x72"	2120	5974300-V	5975800-V	5977300-V	1200	5982100-V	5983600-V	5985200-V
60x36x72"	2120	5974400-V	5975900-V	5977400-V	2400	5982200-V	5983700-V	5985300-V
72x24x72"	1760	5974500-V	5976000-V	5977500-V	1000	5982300-V	5983800-V	5985400-V
72x36x72"	1760	5974600-V	5976100-V	5977600-V	2000	5982400-V	5983900-V	5985500-V
96x24x72"	1350	5974700-V	5976200-V	5977700-V	600	5982500-V	5984000-V	5985600-V
96x36x72"	1350	5974800-V	5976300-V	5977800-V	1200	5982600-V	5984100-V	5985700-V
60x24x96"	2120	5974900-V	5976400-V	5977300-V	1200	5982700-V	5984200-V	5985200-V
60x36x96"	2120	5975000-V	5976500-V	5977400-V	2400	5982800-V	5984300-V	5985300-V
72x24x96"	1760	5975100-V	5976600-V	5977500-V	1000	5982900-V	5984400-V	5985400-V
72x36x96"	1760	5975200-V	5976700-V	5977600-V	2000	5983000-V	5984500-V	5985500-V
96x24x96"	1350	5975300-V	5976800-V	5977700-V	600	5983100-V	5984600-V	5985600-V
96x36x96"	1350	5975400-V	5976900-V	5977800-V	1200	5983200-V	5984800-V	5985700-V
96x24x120"	1350	5975500-V	5977000-V	5977700-V	600	5983300-V	5984900-V	5985600-V
96x36x120"	1350	5975600-V	5977100-V	5977800-V	1200	5983400-V	5985000-V	5985700-V
96x48x120"	1350	5975700-V	5977200-V	5977900-V	1200	5983500-V	5985100-V	5985800-V

Ships same day for 1-3 day delivery

Ships 1-5 days

Single-rivet connection



36x18x84" unit with particleboard decking shown.



Rivet Lock Single-Rivet Shelving

- Shelf capacity: up to 350 lbs.; capacities based on evenly distributed loads
- 16-gauge steel posts; 16-gauge steel shelf levels
- Unassembled

Assembles rapidly without special tools, bolts, or clips. Shelves adjust on 1 1/2" increments. Double-rivet beam construction on top and bottom. Single-rivet construction on intermediate shelves and on intermediate front-to-back supports. Two decking choices: no decking or 3/8" thick 45-lb. high-density particleboard. Baked-on enamel finish resists rust and corrosion. Color: gray. Made in USA. *IN STOCK.*

Overall WxDxH	Shelf Cap. Lbs.	Shelf Qty.	NO DECKING	
			COMPLETE UNITS Stock No.	EXTRA LEVELS Stock No.
36x12x84"	350	5	5323800-S	5332600-S
36x18x84"	350	5	5324200-S	5332600-S
36x24x84"	350	5	5324800-S	5332600-S
48x12x84"	250	5	5330000-S	5332700-S
48x18x84"	250	5	5331400-S	5332700-S
48x24x84"	250	5	5332000-S	5332700-S

Overall WxDxH	Shelf Cap. Lbs.	Shelf Qty.	PARTICLEBOARD DECKING	
			COMPLETE UNITS Stock No.	EXTRA LEVELS Stock No.
36x12x84"	350	5	5891200-S	5891800-S
36x18x84"	350	5	5891300-S	5891900-S
36x24x84"	350	5	5891400-S	5892000-S
48x12x84"	250	5	5891500-S	5892100-S
48x18x84"	250	5	5891600-S	5892200-S
48x24x84"	250	5	5891700-S	5892300-S

Ships same day for 1-3 day delivery

Ships 1-5 days



Three Individual 36"Wx18"D Units Shown



Individual 36"Wx18"Dx72"H Shelving Unit Shown



Split-post design configures as either (1) 72"H or (2) 36"H units.



Ultra Rack Heavy-Duty Boltless Shelving

- Shelf capacity: up to 1800 lbs., capacities based on evenly distributed loads
- 16-gauge steel
- Unassembled

Perfect for use as a storage unit, a workcenter, or workbench, shelving features split posts that allow you to assemble into one 72"H unit or two separate 36"H units. Double rivet beams lock into heavy-duty corner posts creating a structurally secure connection. Includes five particleboard shelves that adjust on 1 1/2" centers. Easy to access from all sides. Gray baked enamel finish. Made in USA. *IN STOCK.*

Overall WxDxH	Shelf Cap. Lbs.	Shelf Qty.	PARTICLEBOARD DECKING
			Stock Number
36x18x72"	1200	5	5836200-T
36x24x72"	1800	5	5836300-T
48x18x72"	1000	5	5836400-T
48x24x72"	1400	5	5836500-T
60x18x72"	1000	5	5836600-T
60x24x72"	700	5	5836700-T
60x36x72"	600	5	5836800-T
72x18x72"	1000	5	5836900-T
72x24x72"	700	5	5839700-T
72x36x72"	600	5	5839800-T

Shelving & Racks | CLIP SHELVING

HEAVY-INDUSTRIAL

edra! Premium Shelving

- Shelves connect to posts via ultra cap shelf clips with wedge-type grips
- Shelf capacity: up to 1100 lbs., capacities based on evenly distributed loads with a 1.45 safety factor
- 14-gauge steel uprights; 20-gauge steel shelves

Common front box posts cut assembly time when connecting two or more units. Shelves feature welded tubular box on front and rear edges as well as lapped and welded corners for extra strength. Posts are punched on 1" centers. Begin with starter units and use add-ons as needed to complete rows. Available as open- or closed-style shelving. Made in USA. *IN STOCK.*



5-shelf open-style starter and add-on units shown, each with 1 extra shelf.



5-shelf closed-style starter and add-on units shown, each with 1 extra shelf.



Extra Shelf Clips,
5200300-T

20-gauge box shelf with lapped and welded corners provides greater strength for maximum load capacity.



Front Box Post



Rear Angle Post

14-ga. box-formed post cuts assembly time when connecting two or more units. Punched on 1" centers.



Open Starter includes: (2) angle posts, (2) front box posts, (2) pairs of side braces, (1) pair of back braces, (5) shelves with clips

Closed Starter includes: (2) angle posts, (1) front box post, (2) side panels, (1) back panel, (5) shelves with clips

Open Add-On includes: (1) front box post, (2) rear angle posts, (1) pair of side cross braces, (1) pair of back cross braces, (5) shelves with clips

Closed Add-On includes: (1) front box post, (2) rear angle posts, (1) side panel, (1) back panel, (5) shelves with clips

Overall WxDxH	Shelf Cap. Lbs.	Shelf Qty.	STARTER UNITS	ADD-ON UNITS	EXTRA SHELVES
			Stock No.	Stock No.	Stock No.
OPEN SHELVING					
36x12x85"	1000	5	5230000-T	5206100-T	5126900-T
36x18x85"	1050	5	5230400-T	5229400-T	5127100-T
36x24x85"	1100	5	5231000-T	5247600-T	5127200-T
48x12x85"	650	5	5231400-T	5249000-T	5127300-T
48x18x85"	675	5	5232300-T	5250600-T	5127900-T
48x24x85"	750	5	5232700-T	5253100-T	5128500-T
CLOSED SHELVING					
36x12x85"	1000	5	5233100-T	5253800-T	5126900-T
36x18x85"	1050	5	5233500-T	5267700-T	5127100-T
36x24x85"	1100	5	5234100-T	5268100-T	5127200-T
48x12x85"	650	5	5234900-T	5280500-T	5127300-T
48x18x85"	675	5	5238400-T	5284100-T	5127900-T
48x24x85"	750	5	5247100-T	5287000-T	5128500-T